
ID Force Photo Components Photo Booth & Lighting Options



- ICAO standard photo Background color
- Booth design reduces impact of uneven ground on usability
- Prevents impact of outdoor glare on the photo capturing process
- Foldable easy to carry and store
- Fit neatly into a backpack



Skeleton model 200 size single color temperature - Square light board*1 Soft light cloth background board*1 Camera bracket*1 Storage bag*1 Number of lamp beads 120 beads Lumens 4000 Color rendering index 90Ra Color temperature 3000K-7000K Power 30W *2 Power supply mode 110-220V -Box size 128*28*26



OPTION 3



ID Force Photo Components Photo Booth



Setup	Quick Automatic Opening
Fabric	Polyester with sliver coating
Bottom Water Proof Index	1000-1500mm
Size	120 x 120 x 190cm
MOQ	1,000
Colors	Can be customized
Logo	Can be customized
Lead Time	35 days from Payment
Packaging	Each both in polyester bag and then in export carton



ID Force International Pty Ltd Suite 705, 11 Railway Street Chatswood NSW 2067 Sydney, Australia

Contact info@idforce.io

ID Force Photo Components LED Light Strips

	Packaging We want the second
Working Temperature	-20ºC - 60ºC
Certification	RoHS, ETL, CE, UL
Light Source	LED
Support Dimmer	Yes
Lighting solutions service	Lighting and circuitry design, On-site metering, DIALux evo layout, LitePro DLX layout, auto CAD layout, Agi32 layout, Project Installation
Lifespan (hours)	20,000
Working Time (hours)	20,000
Product Weight	0.1kg
Control mode	Touch Control, APP Control, Remote Control, Switch Control, Voice control, Sensor control, other
Product Name	DMX 512 Addressable led neon light
LED Quantity	120 leds/m
LED Type	3535RGB+2835 5000K
Voltage	24V
Power	14.4W/M
Color	White or custom
Waterproof Grade	IP67
PCB Width	12mm Width PCB
LED Chip	Custom available
Lead time	35 days from payment

Contact info@idforce.io



ID Force International Pty Ltd Suite 705, 11 Railway Street Chatswood NSW 2067 Sydney, Australia