## **ID Force UN-WDC440**

## WiFi IP Camera



## **Dual Lens Metal PTZ IP Speed Dome Camera**

- Supports 2.4G&5.8G Wifi & Wired
- TF Card Slot, Built-in Audio pickup and speaker
- Vertical + horizontal mirroring, high definition video image + true color
- Excellent heat dissipation system ensure its stability
- 2pcs powerful SDM array IR source, effective night vision distance is 10-15 meters in dark environment
- IR night vision distance 15m
- 4G Version available

4MP+4MP Dual Lens UN-WDC440

Model		UN-WDC440
CAMERA	Imaging sensor	1/3" SC4336P (2pcs)
	Signal system	PAL / NTSC adjustable
	Scanning Mode	Progressive scanning
	Illumination	0 Lux ( IR ON )
	Lens	3.6mm + 8mm megapixel lens
	Day and night switch	IR-CUT dual optical filters auto switch in day and night
	Electronic shutter	1/25s~1/10000s; automatic
	White balance	Auto / manual
	DNR	D-DNR
	SNR	≥50dB(AGC OFF)
	IR source	2pcs SMD IR LED lights
	Night vision distance	10-15 meters
	Image compression	H.265, H.264
	Video bit rate	32 Kbps 6144 bps;
STANDARD COMPRESSION	Audio compression	AAC,G711
IMAGE	Main stream	2560*1440 @ 15fps
	Sub stream	800*488@15fps
	Image adjustment	Can adjust Saturation, brightness, contrast, sharpness
	Scene	Auto, indoor, outdoor
	Digital enlarge	Can achieve through mobile phone , PC software

FUNCTION	Storage	Support TF card storage (max 128GB)
	Horizontal rotation	330 degree rotation
	Vertical rotation	90 degree rotation
	WDR	Auto
	Detection	Humanoid detection, motion detection
	Alarm	Send message to mobile phone
	Protocol	TCP/IP@UDP/IP@HTTP@ICMP@FTP@EMAIL@TELNET
	Audio	Microphone + speaker
	POE power supply	Support POE power supply (optional)
	WIFI	2.4G + 5.8G WIFI
	Mobile App	Support IPhone,Android
INTERFACE	Interface	1pc RJ45 10M / 100M Adaptive Ethernet port
BASIC PARAMETERS	Power input	DC 12V±10%
	Power Consumption	Day: Max 3.6W , Night: Max 5W
	Work environment	-20□ ~ 60□, humidity is less than 80% (no condensation)
	Waterproof	IP66
	Size	112 x 112 x 103mm

